The Journal of Cell Biology

Volume 129, 1995



Edited in cooperation with
The American Society for Cell Biology
Published semimonthly by
The Rockefeller University Press
Copyediting and Production
Suzanne M. Runyan, Linda Thrasybule, and Davide R. Dickson

Editor-in-Chief

Norton B. Gilula

Associate Editors

Richard G. W. Anderson
Don W. Cleveland
Werner Franke
Elaine Fuchs
Randy Schekman
Kenneth M. Yamada

Editorial Board

Vann Bennett
Paul Bornstein
Marianne Bronner-Fraser
Eric J. Brown
Graham Carpenter
Nam-Hai Chua
John Cooper
Bruce Cunningham
Caroline Damsky
Scott Emr
Harold P. Erickson
Larry Gerace
Mary Jane Gething
Hans Geuze
Larry Goldstein
Alan Hall
Alan F. Horwitz
Hynda Kleinman
Susan Lindquist
Joan Massague
Frederick Maxfield
Jacopo Meldolesi
Ira Mellman
Ron Milligan
Timothy J. Mitchison
Andrew Murray
W. James Nelson
Walter Neupert
Eric N. Olsen
Suzanne Pfeffer
Tom A. Rapoport
Louis F. Reichardt
Daniel B. Rifkin
Mark Rose
Richard Rotundo
Richard Scheller
Sandra Schmid
Victor Small
Paul W. Sternberg
Murray Stewart
Ron Vale
Klaus Von der Mark
Frank S. Walsh
Helen Lu Yin

Copyright © 1995 by The Rockefeller University Press

Contents:

Volume 129, Number 1, April 1995

1 **An analysis of the regulation of DNA synthesis by cdk2, Cip1, and licensing factor.**
H. Yan and J. Newport

17 **Analysis of nuclear lamin isoprenylation in *Xenopus* oocytes: Isoprenylation of lamin B3 precedes its uptake into the nucleus.**
I. Firmbach-Kraft and R. Stick

25 **Mas37p, a novel receptor subunit for protein import into mitochondria.**
S. Gratzer, T. Lithgow, R. E. Bauer, E. Lamping, F. Paltauf, S. D. Kohlwein, V. Haucke, T. Junne, G. Schatz, and M. Horst

35 **Golgi and vacuolar membrane proteins reach the vacuole in *vps1* mutant yeast cells via the plasma membrane.**
S. F. Nothwehr, E. Conibear, and T. H. Stevens

47 **Recruitment of epidermal growth factor receptors into coated pits requires their activated tyrosine kinase.**
C. Lamaze and S. L. Schmid

55 **Endocytosis of interleukin 2 receptors in human T lymphocytes: Distinct intracellular localization and fate of the receptor α, β, γ chains.**
A. Hémar, A. Subtil, M. Lieb, E. Morelon, R. Hellio, and A. Dautry-Varsat

65 ***PEB1 (PAS7)* in *Saccharomyces cerevisiae* encodes a hydrophilic, intra-peroxisomal protein that is a member of the WD repeat family and is essential for the import of thiolase into peroxisomes.**
J. W. Zhang and P. B. Lazarow

81 **Targeting of *Salmonella typhimurium* to vesicles containing lysosomal membrane glycoproteins bypasses compartments with mannose 6-phosphate receptors.**
F. Garcia-del Portillo and B. B. Finlay

99 **The exocytotic fusion pore of small granules has a conductance similar to an ion channel.**
K. Lollike, N. Borregaard, and M. Lindau

105 **rbSec1A and B colocalize with syntaxin 1 and SNAP-25 throughout the axon, but are not in a stable complex with syntaxin.**
E. P. Garcia, P. S. McPherson, T. J. Chilcote, K. Takei, and P. De Camilli

121 **Cholesterol depletion and modification of COOH-terminal targeting sequence of the prion protein inhibit formation of the scrapie isoform.**
A. Taraboulos, M. Scott, A. Semenov, D. Avraham, L. Laszlo, and S. B. Prusiner

133 **Sequestration of acetylated LDL and cholesterol crystals by human monocyte-derived macrophages.**
H. S. Kruth, S. I. Skarlatos, K. Lilly, J. Chang, and I. Ifrim

147 **Effects of CapG overexpression on agonist-induced motility and second messenger generation.**
H.-Q. Sun, K. Kwiatkowska, D. C. Wooten, and H. L. Yin

157 **KIF2 is a new microtubule-based anterograde motor that transports membranous organelles distinct from those carried by kinesin heavy chain or KIF3A/B.**
Y. Noda, R. Sato-Yoshitake, S. Kondo, M. Nangaku, and N. Hirokawa

169 **The 78,000 M_r intermediate chain of *Chlamydomonas* outer arm dynein is a WD-repeat protein required for arm assembly.**
C. G. Wilkerson, S. M. King, A. Koutoulis, G. J. Pazour, and G. B. Witman

179 **A talin homologue of *Dictyostelium* rapidly assembles at the leading edge of cells in response to chemoattractant.**
M. Kreitmeier, G. Gerisch, C. Heizer, and A. Müller-Taubenberger

189 **Novel E-cadherin–mediated adhesion in peripheral nerve: Schwann cell architecture is stabilized by autotypic adherens junctions.**
A. M. Fannon, D. L. Sherman, G. Ilyina-Gragerova, P. J. Brophy, V. L. Friedrich Jr., and D. R. Colman

203 **The molecular organization of endothelial cell to cell junctions: Differential association of plakoglobin, β-catenin, and α-catenin with vascular endothelial cadherin (VE-cadherin).**
M. G. Lampugnani, M. Corada, L. Caveda, F. Breviario, O. Ayalon, B. Geiger, and E. Dejana

219 **Cellubrevin and synaptobrevins: Similar subcellular localization and biochemical properties in PC12 cells.**
T. J. Chilcote, T. Galli, O. Mundigl, L. Edelmann, P. S. McPherson, K. Takei, and P. De Camilli

233 **Differential modulation of cell phenotype by different molecular weight forms of basic fibroblast growth factor: Possible intracellular signaling by the high molecular weight forms.**
A. Bikfalvi, S. Klein, G. Pintucci, N. Quarto, P. Mignatti, and D. B. Rifkin

245 **Involvement of pRB family in TGFβ-dependent epithelial cell hypertrophy.**
H. A. Franch, J. W. Shay, R. J. Alpern, and P. A. Preisig

255 **Episialin (MUC1) overexpression inhibits integrin-mediated cell adhesion to extracellular matrix components.**
J. Wesseling, S. W. van der Valk, H. L. Vos, A. Sonnenberg, and J. Hilkens

267 **Midkine (MK), a Heparin-binding growth/differentiation factor, is regulated by retinoic acid and epithelial–mesenchymal interactions in the developing mouse tooth, and affects cell proliferation and morphogenesis.**
T. A. Mitsiadis, T. Muramatsu, H. Muramatsu, and I. Thesleff

Volume 129, Number 2, April 1995

287 **Transcription-dependent redistribution of the large subunit of RNA polymerase II to discrete nuclear domains.**
D. B. Bregman, L. Du, S. van der Zee, and S. L. Warren

299 **Enzymatic product formation impairs both the chloroplast receptor–binding function as well as translocation competence of the NADPH: Protochlorophyllide oxidoreductase, a nuclear-encoded plastid precursor protein.**
S. Reinbothe, C. Reinbothe, S. Runge, and K. Apel

309 **The capacity to retrieve escaped ER proteins extends to the *trans*-most cisterna of the Golgi stack.**
G. Miesenböck and J. E. Rothman

321 **Vesicle-mediated protein transport: Regulatory interactions between the Vps15 protein kinase and the Vps34 PtdIns 3-kinase essential for protein sorting to the vacuole in yeast.**
J. H. Stack, D. B. DeWald, K. Takegawa, and S. D. Emr

335 **The urokinase-type plasminogen activator receptor, a GPI-linked protein, is localized in caveolae.**
A. Stahl and B. M. Mueller

345 **Pmp27 promotes peroxisomal proliferation.**
P. A. Marshall, Y. I. Krimkevich, R. H. Lark, J. M. Dyer, M. Veenhuis, and J. M. Goodman

357 **Specific receptor detection by a functional keratinocyte growth factor–immunoglobulin chimera.**
W. J. LaRochelle, O. R. Dirsch, P. W. Finch, H.-G. Cheon, M. May, C. Marchese, J. H. Pierce, and S. A. Aaronson

367 **Cytoskeletal rearrangements and functional role of T-plastin during entry of *Shigella flexneri* into HeLa cells.**
T. Adam, M. Arpin, M.-C. Prévost, P. Gounon, and P. J. Sansonetti

383 **Myosin light chain 3F regulatory sequences confer regionalized cardiac and skeletal muscle expression in transgenic mice.**
R. Kelly, S., Alonso, S. Tajbakhsh, G. Cossu, and M. Buckingham

397 **Differential methylation and altered conformation of cytopklasmic and nuclear forms of protein phosphatase 2A during cell cycle progression.**
P. Turowski, A. Fernandez, B. Favre, N. J. C. Lamb, and B. A. Hemmings

411 **Two distinct functions of the carboxyl-terminal tail domain of NF-M upon neurofilament assembly: Cross-bridge formation and longitudinal elongation of filaments.**
T. Nakagawa, J. Chen, Z. Zhang, Y. Kanai, and N. Hirokawa

431 **Trafficking of cell surface β-amyloid precursor protein: Retrograde and transcytotic transport in cultured neurons.**
T. Yamazaki, D. J. Selkoe, and E. H. Koo

443 **Transforming growth factor-β1 regulates axon/schwann cell interactions.**
S. Einheber, M.-J. Hannocks, C. N. Metz, D. B. Rifkin, and J. L. Salzer

459 **Autocrine motility factor receptor is a marker for a distinct membranous tubular organelle.**
N. Benlimame, D. Simard, and I. R. Nabi

473 **A recombinant tail-less integrin β_4 subunit disrupts hemidesmosomes, but does not suppress $\alpha_6\beta_4$-mediated cell adhesion to laminins.**
L. Spinardi, S. Einheber, T. Cullen, T. A. Milner, and F. G. Giancotti

489 **In vivo analysis of cadherin function in the mouse intestinal epithelium: Essential roles in adhesion, maintenance of differentiation, and regulation of programmed cell death.**
M. L. Hermiston and J. I. Gordon

507 **Plasticity in epithelial cell phenotype: Modulation by expression of different cadherin cell adhesion molecules.**
J. A. Marrs, C. Andersson-Fisone, M. C. Jeong, L. Cohen-Gould, C. Zurzolo, I. R. Nabi, E. Rodriguez-Boulan, and W. J. Nelson

521 **Antibodies against domain E3 of laminin-1 and integrin α6 subunit perturb branching epithelial morphogenesis of submandibular gland, but by different modes.**
Y. Kadoya, K. Kadoya, M. Durbeej, K. Holmvall, L. Sorokin, and P. Ekblom

535 **Molecular cloning of chick β-tectorin, an extracellular matrix molecule of the inner ear.**
R. Killick, P. K. Legan, C. Malenczak, and G. P. Richardson

549 ADDITIONS AND CORRECTIONS

Volume 129, Number 3, May 1995

551 **A nuclear localization domain in the hnRNP A1 protein.**
H. Siomi and G. Dreyfuss

561 **A possible mechanism for the inhibition of ribosomal RNA gene transcription during mitosis.**
D. Weisenberger and U. Scheer

577 **Reconstitution of vesiculated Golgi membranes into stacks of cisternae: Requirement of NSF in stack formation.**
U. Acharya, J. M. McCaffery, R. Jacobs, and V. Malhotra

591 **Laminin mediates tissue-specific gene expression in mammary epithelia.**
C. H. Streuli, C. Schmidhauser, N. Bailey, P. Yurchenco, A. P. N. Skubitz, C. Roskelley, and M. J. Bissell

605 **Reassembly of Golgi stacks from mitotic Golgi fragments in a cell-free system.**
C. Rabouille, T. Misteli, R. Watson, and G. Warren

619 **Glycolipid-anchored proteins in neuroblastoma cells form detergent-resistant complexes without caveolin.**
A. Gorodinsky and D. A. Harris

629 **Yeast Gaa1p is required for attachment of a completed GPI anchor onto proteins.**
D. Hamburger, M. Egerton, and H. Riezman

641 **Insulin-sensitive targeting of the GLUT4 glucose transporter in L6 myoblasts is conferred by its COOH-terminal cytoplasmic tail.**
P. M. Haney, M. A. Levy, M. S. Strube, and M. Mueckler

659 **Molecular architecture of membranes involved in excitation–contraction coupling of cardiac muscle.**
X.-H. Sun, F. Protasi, M. Takahashi, H. Takeshima, D. G., Ferguson, and C. Franzini-Armstrong

673 **Immunolocalization of sarcolemmal dihydropyridine receptor and sarcoplasmic reticular triadin and ryanodine receptor in rabbit ventricle and atrium.**
S. Lewis Carl, K. Felix, A. H. Caswell, N. R. Brandt, W. J. Ball Jr., P. L. Vaghy, G. Meissner, and D. G. Ferguson

683 **Mechanisms of thin filament assembly in embryonic chick cardiac myocytes: Tropomodulin requires tropomyosin for assembly.**
C. C. Gregorio and V. M. Fowler

697 **Forced expression of chimeric human fibroblast tropomyosin mutants affects cytokinesis.**
K. S. Warren, J. L.-C. Lin, J. P. McDermott, and J. J.-C. Lin

709 **The *Drosophila* kinesin-like protein KLP3A is a midbody component required for central spindle assembly and initiation of cytokinesis.**
B. C. Williams, M. F. Riedy, E. V. Williams, M. Gatti, and M. L. Goldberg

725 **The *Drosophila* cell cycle gene *fizzy* is required for normal degradation of cyclins A and B during mitosis and has homology to the *CDC20* gene of *Saccharomyces cerevisiae*.**
I. A. Dawson, S. Roth, and S. Artavanis-Tsakonas

739 **A cell cycle checkpoint monitors cell morphogenesis in budding yeast.**
D. J. Lew and S. I. Reed

751 **Patterns of bud-site selection in the yeast *Saccharomyces cerevisiae*.**
J. Chant and J. R. Pringle

767 **Role of Bud3p in producing the axial budding pattern of yeast.**
J. Chant, M. Mischke, E. Mitchell, I. Herskowitz, and J. R. Pringle

779 **Cells differentiating into neuroectoderm undergo apoptosis in the absence of functional retinoblastoma family proteins.**
R. S. Slack, I. S. Skerjanc, B. Lach, J. Craig, K. Jardine, and M. W. McBurney

789 **Calcitonin gene-related peptide promotes Schwann cell proliferation.**
L. Cheng, M. Khan, and A. W. Mudge

797 **Ca^{2+} waves in PC12 neurites: A bidirectional, receptor-oriented form of Ca^{2+} signaling.**
P. Lorenzon, D. Zacchetti, F. Codazzi, G. Fumagalli, J. Meldolesi, and F. Grohovaz

805 **Specific permeability and selective formation of gap junction channels in connexin-transfected HeLa cells.**
C. Elfgang, R. Eckert, H. Lichtenberg-Fraté, A. Butterweck, O. Traub, R. A. Klein, D. F. Hülser, and K. Willecke

819 **A novel mammalian myosin I from rat with an SH3 domain localizes to Con A–inducible, F-actin–rich structures at cell–cell contacts.**
H.-E. Stöffler, C. Ruppert, J. Reinhard, and M. Bähler

831 **Integrin-dependent translocation of phosphoinositide 3-kinase to the cytoskeleton of thrombin-activated platelets involves specific interactions of p85α with actin filaments and focal adhesion kinase.**
C. Guinebault, B. Payrastre, C. Racaud-Sultan, H. Mazarguil, M. Breton, G. Mauco, M. Plantavid, and H. Chap

843 **Keratinocyte growth factor is a bifunctional regulator of HPV16 DNA-immortalized cervical epithelial cells.**
J. Zheng, O. Saksela, S. Matikainen, and A. Vaheri

853 **Transforming growth factor-β1 modulates β1 and β5 integrin receptors and induces the de novo expression of the $\alpha v\beta 6$ heterodimer in normal human keratinocytes: Implications for wound healing.**
G. Zambruno, P. C. Marchisio, A. Marconi, C. Vaschieri, A. Melchiori, A. Giannetti, and M. De Luca

867 **Cooperative signaling by $\alpha 5\beta 1$ and $\alpha 4\beta 1$ integrins regulates metalloproteinase gene expression in fibroblasts adhering to fibronectin**
P. Huhtala, M. J. Humphries, J. B. McCarthy, P. M. Tremble, Z. Werb, and C. H. Damsky

881 **Transglutaminase-catalyzed matrix cross-linking in differentiating cartilage: Identification of osteonectin as a major glutaminyl substrate.**
D. Aeschlimann, O. Kaupp, and M. Paulsson

893 ADDITIONS AND CORRECTIONS

Volume 129, Number 4, May 1995

Mini-review

895 **Endothelial receptor tyrosine kinases involved in angiogenesis.**
T. Mustonen and K. Alitalo

Regular Articles

899 **A conserved epitope on a subset of SR proteins defines a larger family of pre-mRNA splicing factors.**
K. M. Neugebauer, J. A. Stolk, and M. B. Roth

909 **The carboxy termini of Sir4 and Rap1 affect Sir3 localization: Evidence for a multicomponent complex required for yeast telomeric silencing.**
M. Cockell, F. Palladino, T. Laroche, G. Kyrion, C. Liu, A. J. Lustig, and S. M. Gasser

925 **Identification of NTF2, a cytosolic factor for nuclear import that interacts with nuclear pore complex protein p62.**
B. M. Paschal and L. Gerace

939 **A conditional allele of the novel repeat-containing yeast nucleoporin *RAT7 / NUP159* causes both rapid cessation of mRNA export and reversible clustering of nuclear pore complexes.**
L. C. Gorsch, T. C. Dockendorff, and C. N. Cole

957 **Stage- and ribosome-specific alterations in nascent chain–Sec61p interactions accompany translocation across the ER membrane.**
C. V. Nicchitta, E. C. Murphy III, R. Haynes, and G. S. Shelness

971 **Steric masking of a dilysine endoplasmic reticulum retention motif during assembly of the human high affinity receptor for immunoglobulin E.**
F. Letourneur, S. Hennecke, C. Démollière, and P. Cosson

979 **A yeast DnaJ homologue, Scj1p, can function in the endoplasmic reticulum with BiP/Kar2p via a conserved domain that specifies interactions with Hsp70s.**
G. Schlenstedt, S. Harris, B. Risse, R. Lill, and P. A. Silver

989 **Molecular size-fractionation during endocytosis in macrophages.**
E. P. Berthiaume, C. Medina, and J. A. Swanson

999 **Expression and compartmentalization of caveolin in adipose cells: Coordinate regulation with and structural segregation from GLUT4.**
K. V. Kandror, J. M. Stephens, and P. F. Pilch

1007 **Molecular dissection of radixin: Distinct and interdependent functions of the amino- and carboxy-terminal domains.**
M. D. Henry, C. Gonzalez Agosti, and F. Solomon

1023 **Spnr, a murine RNA-binding protein that is localized to cytoplasmic microtubules.**
J. M. Schumacher, K. Lee, S. Edelhoff, and R. E. Braun

1033 **The product of the spindle formation gene *sad1*$^+$ associates with the fission yeast spindle pole body and is essential for viability.**
I. Hagan and M. Yanagida

1049 **Characterization of a minus end-directed kinesin-like motor protein from cultured mammalian cells.**
R. Kuriyama, M. Kofron, R. Essner, T. Kato, S. Dragas-Granoic, C. K. Omoto, and A. Khodjakov

1061 **Is the cell division cycle gated by a circadian clock? The case of *Chlamydomonas reinhardtii*.**
K. Goto and C. Johnson

1071 **Cell contacts orient some cell division axes in the *Caenorhabditis elegans* embryo.**
B. Goldstein

1081 **An ankyrin-related gene (*unc-44*) is necessary for proper axonal guidance in *Caenorhabditis elegans*.**
A. J. Otsuka, R. Franco, B. Yang, K.-H. Shim, L. Z. Tang, Y. Y. Zhang, P. Boontrakulpoontawee, A. Jeyaprakash, E. Hedgecock, V. I. Wheaton, and A. Sobery

1093 **Distribution of α-dystroglycan during embryonic nerve-muscle synaptogenesis.**
M. W. Cohen, C. Jacobson, E. W. Godfrey, K. P. Campbell, and S. Carbonetto

1103 **R-Ras promotes apoptosis caused by growth factor deprivation via a bcl-2 suppressible mechanism.**
H.-G. Wang, J. A. Millan, A. D. Cox, C. J. Der, U. R. Rapp, T. Beck, H. Zha, and J. C. Reed

1115 **Extracellular matrix regulates whey acidic protein gene expression by suppression of TGF-α in mouse mammary epithelial cells: Studies in culture and in transgenic mice.**
C. Q. Lin, P. J. Dempsey, R. J. Coffey, and M. J. Bissell

1127 **Characterization of βpat-3 heterodimers, a family of essential integrin receptors in *C. elegans*.**
S. N. Gettner, C. Kenyon, and L. F. Reichardt

1143 **A peptide derived from the intercellular adhesion molecule-2 regulates the avidity of the leukocyte integrins CD11b/CD18 and CD11c/CD18.**
R. Li, J. Xie, C. Kantor, V. Koistinen, D. C. Altieri, P. Nortamo, and C. G. Gahmberg

1155 **The cytoplasmic domain of L-selectin interacts with cytoskeletal proteins via α-actinin: Receptor positioning in microvilli does not require interaction with α-actinin.**
F. M. Pavalko, D. M. Walker, L. Graham, M. Goheen, C. M. Doerschuk, and G. S. Kansas

1165 **Developmental expression of fibrillin genes suggests heterogeneity of extracellular microfibrils.**
H. Zhang, W. Hu, and F. Ramirez

Volume 129, Number 5, June 1995

Mini-review

1177 **The many faces of hepatocyte growth factor: From hepatopoiesis to hematopoiesis.**
R. Zarnegar and G. K. Michalopoulos

Regular Articles

1181 **A perinucleolar compartment contains several RNA polymerase III transcripts as well as the polypyrimidine tract-binding protein, hnRNP I.**
A. G. Matera, M. R. Frey, K. Margelot, and S. L. Wolin

1195 **Microinjection of mitotic cells with the 3F3/2 anti-phosphoepitope antibody delays the onset of anaphase.**
M. S. Campbell and G. J. Gorbsky

1205 **Structural interaction between the nuclear pore complex and a specific translocating RNP particle.**
H. Mehlin, B. Daneholt, and U. Skoglund

1217 **Efficient endosomal localization of major histocompatibility complex class II–invariant chain complexes requires multimerization of the invariant chain targeting sequence.**
L. S. Arneson and J. Miller

1229 **"Synchronized" endocytosis and intracellular sorting in alveolar macrophages: The early sorting endosome is a transient organelle.**
D. M. Ward, C. M. Perou, M. Lloyd, and J. Kaplan

1241 **Apical and basolateral coated pits of MDCK cells differ in their rates of maturation into coated vesicles, but not in the ability to distinguish between mutant hemagglutinin proteins with different internalization signals.**
H. Y. Naim, D. T. Dodds, C. B. Brewer, and M. G. Roth

1251 **A density-sensing factor regulates signal transduction in *Dictyostelium*.**
I. S. Yuen, R. Jain, J. D. Bishop, D. F. Lindsey, W. J. Deery, P. J. M. Van Haastert, and R. H. Gomer

1263 **A trypanosome-soluble factor induces IP_3 formation, intracellular Ca^{2+} mobilization and microfilament rearrangement in host cells.**
A. Rodríguez, M. G. Rioult, A. Ora, and N. W. Andrews

1275 **Actin filament organization in the fish keratocyte lamellipodium.**
J. V. Small, M. Herzog, and K. Anderson

1287 **The impact of chromosomes and centrosomes on spindle assembly as observed in living cells.**
D. Zhang and R. B. Nicklas

1301 **Acetylation of lysine 40 in α-tubulin is not essential in *Tetrahymena thermophila*.**
J. Gaertig, M. A. Cruz, J. Bowen, L. Gu, D. G. Pennock, and M. A. Gorovsky

1311 **Structure of growing microtubule ends: Two-dimensional sheets close into tubes at variable rates.**
D. Chrétien, S. D. Fuller, and E. Karsenti

1329 **The basal keratin network of stratified squamous epithelia: Defining K15 function in the absence of K14.**
C. Lloyd, Q.-C. Yu, J. Cheng, K. Turksen, L. Degenstein, E. Hutton, and E. Fuchs

1345 **Regulation of a muscle-specific transgene by retinoic acid.**
Y. Xiao, U. Grieshammer, and N. Rosenthal

1355 **Calsensin: A novel calcium-binding protein expressed in a subset of peripheral leech neurons fasciculating in a single axon tract.**
K. K. Briggs, A. J. Silvers, K. M. Johansen, and J. Johansen

1363 ***bcl-2* overexpression inhibits cell death and promotes the morphogenesis, but not tumorigenesis of human mammary epithelial cells.**
P. J. Lu, Q. L. Lu, A. Rughetti, and J. Taylor-Papadimitriou

1379 **The cadherin-binding specificities of B-cadherin and LCAM.**
C. Murphy-Erdosh, C. K. Yoshida, N. Paradies, and L. F. Reichardt

1391 **The interaction of the retina cell surface *N*-acetylgalactosaminylphosphotransferase with an endogenous proteoglycan ligand results in inhibition of cadherin-mediated adhesion.**
J. Balsamo, H. Ernst, M. K. B. Zanin, S. Hoffman, and J. Lilien

1403 **Identification of the low density lipoprotein receptor–related protein (LRP) as an endocytic receptor for thrombospondin-1.**
S. Godyna, G. Liau, I. Popa, S. Stefansson, and W. S. Argraves

1411 **Hepatocyte growth factor/scatter factor modulates cell motility, proliferation, and proteoglycan synthesis of chondrocytes.**
T. Takebayashi, M. Iwamoto, A. Jikko, T. Matsumura, M. Enomoto-Iwamoto, F. Myoukai, E. Koyama, T. Yamaai, K. Matsumoto, T. Nakamura, K. Kurisu, and S. Noji

1421 **Separate *cis*-acting DNA elements of the mouse pro-α1(I) collagen promoter direct expression of reporter genes to different type I collagen-producing cells in transgenic mice.**
J. Rossert, H. Eberspaecher, and B. de Crombrugghe

Volume 129, Number 6, June 1995

1433 **BM28, a human member of the MCM2-3-5 family, is displaced from chromatin during DNA replication.**
I. T. Todorov, A. Attaran, and S. E. Kearsey

1447 **Nuclear envelope breakdown is under nuclear not cytoplasmic control in sea urchin zygotes.**
G. Sluder, E. A. Thompson, C. L. Rieder, and F. J. Miller

1459 **Nuclear pore complex assembly studied with a biochemical assay for annulate lamellae formation.**
E. Meier, B. R. Miller, and D. J. Forbes

1473 **The *overgrown hematopoietic organs-31* tumor suppressor gene of *Drosophila* encodes an *Importin*-like protein accumulating in the nucleus at the onset of mitosis.**
I. Török, D. Strand, R. Schmitt, G. Tick, T. Török, I. Kiss, and B. M. Mechler

1491 **Pendulin, a *Drosophila* protein with cell cycle-dependent nuclear localization, is required for normal cell proliferation.**
P. Küssel and M. Frasch

1509 **Oligomerized transferrin receptors are selectively retained by a lumenal sorting signal in a long-lived endocytic recycling compartment.**
E. W. Marsh, P. L. Leopold, N. L. Jones, and F. R. Maxfield

1523 **Insulin stimulates the tyrosine phosphorylation of caveolin.**
C. C. Mastick, M. J. Brady, and A. R. Saltiel

1533 ***Pseudomonas* exotoxin–mediated selection yields cells with altered expression of low-density lipoprotein receptor–related protein.**
D. J. FitzGerald, C. M. Fryling, A. Zdanovsky, C. B. Saelinger, M. Kounnas, J. A. Winkles, D. Strickland, and S. Leppla

1543 **Oligomerization of epidermal growth factor receptors on A431 cells studied by time-resolved fluorescence imaging microscopy. A stereochemical model for tyrosine kinase receptor activation.**
T. W. J. Gadella, Jr. and T. M. Jovin

1559 **Barriers for lateral diffusion of transferrin receptor in the plasma membrane as characterized by receptor dragging by laser tweezers: Fence versus tether.**
Y. Sako and A. Kusumi

1575 **The 95F unconventional myosin is required for proper organization of the *Drosophila* syncytial blastoderm.**
V. Mermall and K. G. Miller

1589 **Actin polymerization and intracellular solvent flow in cell surface blebbing.**
C. C. Cunningham

1601 **Three-dimensional ultrastructural analysis of the *Saccharomyces cerevisiae* mitotic spindle.**
M. Winey, C. L. Mamay, E. T. O'Toole, D. N. Mastronarde, T. H. Giddings, Jr., K. L. McDonald, and J. Richard McIntosh

1617 **Cell cycle regulation of the activity and subcellular localization of PLK1, a human protein kinase implicated in mitotic spindle function.**
R. M. Golsteyn, K. E. Mundt, A. M. Fry, and E. A. Nigg

1629 **Overexpression of the human NFM subunit in transgenic mice modifies the level of endogenous NFL and the phosphorylation state of NFH subunits.**
P.-H. Tu, G. Elder, R. A. Lazzarini, D. Nelson, J. Q. Trojanowski, and V. M.-Y. Lee

1641 **7B2 facilitates the maturation of proPC2 in neuroendocrine cells and is required for the expression of enzymatic activity.**
X. Zhu and I. Lindberg

1651 **Increased intracellular Ca^{2+} selectively suppresses IL-1–induced NO production by reducing iNOS mRNA stability.**
Y. Geng and M. Lotz

1659 **Chemoattractant and GTPγS-mediated stimulation of adenylyl cyclase in *Dictyostelium* requires translocation of CRAC to membranes.**
P. J. Lilly and P. N. Devreotes

1667 **The G protein β subunit is essential for multiple responses to chemoattractants in *Dictyostelium*.**
L. Wu, R. Valkema, P. J. M. Van Haastert, and P. N. Devreotes

1677 **The human E48 antigen, highly homologous to the murine Ly-6 antigen ThB, is a GPI-anchored molecule apparently involved in keratinocyte cell–cell adhesion.**
R. H. Brakenhoff, M. Gerretsen, E. M. C. Knippels, M. van Dijk, H. van Essen, D. O. Weghuis, R. J. Sinke, G. B. Snow, and G. A. M. S. van Dongen

1691 **Membrane-anchored heparin-binding EGF-like growth factor (HB-EGF) and diphtheria toxin receptor–associated protein (DRAP27)/CD9 form a complex with integrin α3β1 at cell–cell contact sites.**
K. Nakamura, R. Iwamoto, and E. Mekada

1707 **Components of the nuclear signaling cascade that regulate collagenase gene expression in response to integrin-derived signals.**
P. Tremble, C. H. Damsky, and Z. Werb

1721 ADDITIONS AND CORRECTIONS

1723 AUTHOR INDEX FOR VOLUME 129

1733 SUBJECT INDEX FOR VOLUME 129

1743 ACKNOWLEDGMENT